



The FLIGHTLINE

**BAYSIDE R/C Club, Inc. AMA #1411
Fremont California**

July 2011

Bayside R/C Club Officers

President Pete Kontorinis 510-304-3056
 Vice President Dan Sievert 925-443-2604
 Treasurer Will Sievert 408-379-2520
 Secretary Frank Goto 510-713-1212
 Chief Instructor Dave Neves 510-794-8065
 Field Manager Guru Mysore 408-576-7214
 Safety Officer Mike West
 Editor Phil Cole 650-462-9707
 Editor's e-mail newsletter@baysidercclub.com

Bayside R/C Club Web Site: www.baysidercclub.com


Save the club postage and printing (not to mention the trees) - sign up for electronic delivery of Flightline at <http://baysidercclub.com/lists/?p=subscribe&id=2>

Next Meeting

Club meetings are held on the second Thursday of every month at "The Hangar".

Next meeting: July, 14 2011 at 7:30 p.m.

ALL MEMBERS ARE INVITED TO BE THERE!



Car Track Contacts

Ron Watson . onthrottle@gmail.com408-823-3766
 Nate Tramel . biggin-nat@earthlink.net 408-263-1804

You Have Permission

Permission is hereby granted, unless specifically noted otherwise, to republish any article appearing in The FLIGHTLINE. Please mention The FLIGHTLINE and BAYSIDE R/C Club, Inc.

Flight Instruction:

BAYSIDE R/C Club has qualified flight instructors to help you get started, solo or just improve your overall skill. These members are the foundation of the club and spend much of their personal time making the club a success. Primary instructors are available on a regular basis. Secondary instructors can help out on a case by case basis.

AIRPLANE - PRIMARY

Bill Johnson Sat/Sun408-293-1576
 bjs72ta@msn.com
 Mark Glanville Fri/some Wed's408-272-9045
 Ben Jensen Wed/Fri/Sun510-498-1921
 Gene Langley Wed (by appt)/Sat/Sun.510-487-3187
 genelangley@sbcglobal.net
 Dave Neves Wed/Sun510-794-8065
 Mike West Sat/Sun408-732-4279
 iflyil6@comcast.net

AIRPLANE - SECONDARY

Phil Cole Sat/Sun650-462-9707
 George Coward ??? ???
 Frank Goto Sat/Sun510-713-1212
 ifly9z-frankgoto@yahoo.com
 Hal Hirsch ??? ???
 Pete Kontorinis Sat/Sun ???
 Alberto Lanzas Sat/Sun rcflynpilot-sky-lane@yahoo.com
 Scott Morasci ?408-205-4961
 scott.morasci@sbcglobal.net

Ran D. St. Clair Sun/by apt650-299-1240
 Dan Sievert Sat/Sun925-443-2604
 Will Sievert Sat/Sun408-379-2520
 Paul Winslow Sat/Sun ???

HELICOPTER - PRIMARY

Ryan Abbot Sat/Sun .. RT_Abbott@msn.com
 Phil Cole Sat/Sun650-462-9707
 Jim Miller Sat/Sun408-737-9517
 Dave Neves Sat/Sun510-794-8065
 Wolf Witt Sat/Sun rcwolf@ymail.com
 Sharam Shirazi ??? sharam@dalex.ws
 ??? means your editor does not have the information



Prez Sez...

Hi Everyone,

After our last club meeting I received news from Dick Pevehouse. At his last doctor visit they found a growth in his throat that turns out is cancerous. I'm glad we live in a time that issues like this can be corrected and reversed. Dick will be undergoing

chemotherapy treatments in the coming weeks. I wish him the best on his road to a speedy recovery and look forward to his joking around with everyone as usual! If you would like to contact Dick and give him your best wishes, here is his home number and email. Home # 510-378-1024 cell # 510-490-3184 Email: RCJERK@aol.com

It looks like Bart has received approval for \$290 million dollar funding for the Fremont extension. At least that's what I caught on the news the other day. Does this mean they will finally start breaking ground at our old field location? Your guess is as good as mine. It's definitely a step in that direction. A couple of meetings ago Steve gave me some info on an old dump site located in Hayward which is close to the SACRATS field, that could be a possible field site. Our field committee has that info and will pursue this location. I will report any new news as I receive it.

My personal email was hacked this past week and has been sending out mass emails from my contact list which includes a bunch of club members. If you happen to get an email from me that doesn't have a personal message from me to you please delete it. Hopefully your spam filters will stop it from coming thru in the first place. Sorry about that everyone. If it a club related issue I will only send it to thru our club email, which goes to all our current club members. I won't send anything from my personal accounts 'till it's fixed.

Enjoy your summer everyone, and don't forget to wear sunblock!
Pete



Bayside R/C Club

Meeting Minutes

June 9th, 2011

Meeting opened at 7:31

President – Pete Kontorinis – present

Vice President – Dan Sievert – present

Secretary – Frank Goto – present

Treasurer – Will Sievert – not present

Attendance – 16 members

Introductions

Just the usual suspects tonight!

May meeting minutes

Were approved as published.

President's Report –

-Drove 175 miles to pick up a donation from the family of Oliver Bauer. Will sell the items at our auction. - Bayside BBQ at the Castle IMAA event went well. - May not make the next meeting, will probably be working in San Diego.

VP report –

Nothing additional to report.

Treasurer's report –

Will out sick with a bad cold.

Safety Chairman (Mike West) – present

No incidents nor suggestions.

Chief Instructor (Dave Neves) – present

No soloists this month.

Field Chairman (Guru Mysore) – not present

No field to chair!

Newsletter editor (Phil Cole) – present

No problems!

United Printing Company, Inc.
 Since 1963
TIME TO RE-ORDER!
 699 N. KING ROAD
 SAN JOSE, CALIFORNIA 95133
 TELEPHONE 408/254/8401
 FAX 408/254/8403
*Don't let yourself run short!
 Please allow time to process your order.*

408-379-1696
 "Your Hobby and Craft Shop"
D&J Hobby & Crafts
 Hours:
 M-W 10 am-6 pm
 Th-F 10 am-9 pm
 Sat 10 am - 7 pm
 Sun 11 pm-7 pm
 www.djhobby.com
 Bayside RC Club members are eligible for a 10% discount.

Website editor (Micah Stroud) – not present

Is working well.

New Field Committee

Dante introduced Dave to a person that knowledge of land funding in the area. Should be a good contact for field information.

Secretary's report –

Nothing additional to report.

Snacks –

Pete brought the snacks tonight! (applause).

Frank had the raffle stuff there!

Event reports –

Dave reported that his first heli event over at South County went well. Had 53 registered pilots enjoying the activities along with many visitors which included a couple of full size helis.

The Castle IMAA event was very enjoyable according to Mike. A couple of full sized planes, a C130 and a L39ish jet, capped the event!

Upcoming Events –

A float fly is planned for the last Saturday of the month, and another IMAA event over at Oakdale 4th of July weekend. There should be fireworks there Saturday evening.

Old Business

No old business.

New Business

None tonight.

Break - 8:15 - 8:26

Show and Tell –

Ken had a Bridi Tercel glider he recently finished for his daughter, who is moving away. He wanted her to have a plane to fly while she was away. Nicely done and economically so too, using the orange Hobby King RX etc.



SAD Patch

No field = no crashes?


Raffle –

- GP Mustang Kit- Ken Martinez
- Hobbico RX Pack - Frank Goto
- 30 Minute Epoxy - Jake Chichilitti
- 5 Minute Epoxy - Rich Sauneuf
- Thin CA - Rich Sauneuf
- Thick CA - Steve Hoyt
- Monokote Iron Sock - Dick Pevehouse
- Fuel Tubing - Jake Chichilitti

Meeting ended –?PM


Next meeting - Thursday, July 14th @ 7:30P

Sheldon's Hobbies



Map showing location: 2130 Trade Zone Blvd, Newark, CA. Phone: (408) 943-0220. Directions: North on Capital Ave, then South on Trade Zone Blvd. Landmarks include 880 Freeway, Old Oakland Road, and Monahan Expy.

Bayside Members:
Mention this ad for 10% discount



Victors Hobbies

Create a delightful pastime

39269 Cedar Blvd
Newark, CA 94560
(510)796- 8049
victorshobbies@sbcglobal.net

HELICOPTER WORLD INC.



1740-C Junction Ave, San Jose
California 95112 USA
Tel (408) 451-1155 - Fax (408)-451-1156

Scale Plans Building for the Novice: Part 1

by Jerry Bates

A comprehensive article on selecting and building your first scale RC model airplane from plans.

Introduction

After 40 years of building model airplanes one acquires many skills and will take many aspects of hobby building for granted. In the past when I sold a plan I assumed the person who purchased it had the knowledge needed to put the model together with the aid of the construction manual. That, of course, is not always the case. There are often many general aspects of construction not covered in most manuals. Many of my plans, and those by other designers, are purchased by modelers that have not built a model from plans before.

Building from plans is a fun and exciting part of the hobby. It allows the builder to construct a model not often seen at the flying field. You are also not constrained by the liability aspects of most large kit manufactures such a size, weight, and construction techniques. Any level of finish from a casual fun-fly model to a model used in scale competition is possible. But, it can also be a nightmare for the first-time plans builder. In this article series we help explain the basic aspects involved in constructing your first plans-built model. We won't be able to cover every subject and surely will miss some aspects, or they may need further explanation. There is a one-stop shop for additional help though. Visit the R/C Scale Builder website at www.rcscalebuilder.com. If you cannot find help within their "tutorial" and posted "articles" you can always post your questions and receive help from the many members of this great website.

Let's start by explaining the difference between building from plans and scratch building. A "scratch builder" does not purchase engineered plans but uses a collection of data, scale drawings, etc., to develop his own outlines of the model to the scale he chooses. Or may just dream up a design and start cutting wood. He relies on his own skills to produce formers, ribs, and other parts to build the model. A scratch builder normally has been doing this long enough to have acquired the knowledge required to produce a structurally sound airframe without outside assistance.

A "plans builder" is one who buys plans for a model, then either buys a kit of parts or makes his own parts, to construct the model. Experienced designers engineer most plans offered. Much thought has gone into making certain the airframe is a safe and sound design. Of course, the airframe is only as good as the construction. Care must be taken by a builder to cut the parts to accurate size for a true fit and in using the appropriate adhesives to ensure a tight and secure joining of the parts.

Selecting Your First Plan

If you are going to build from plans and have not built several kit planes first, it will be a good idea to reduce your choices of selection based on degree of construction difficulty involved and flying characteristics of the finished model.

A lot of us get into plans building because we want something cool—like a P-51 Mustang, for instance. That would not be a good choice for a novice kit builder or first time plans builder. Models of that degree of difficulty can pose many problems during construction and are considerably more difficult to fly than other available choices. By the same token, there is no sense plans building a non-scale trainer or Piper Cub. These types of models are available in kit form and as ARFs (Almost Ready to Fly) and will be a more economical choice than plans building. If you do not have field experience in the operation and flying of low-wing aircraft, and multiengine aircraft, they should be avoided for similar reasons.

The type of airplane you should be looking for is something with stable flying characteristics. Some of the clues will be a good degree of wing dihedral, positive wing root incidence accompanied by wing washout, and engine down thrust. Confused? Don't worry; this is not going to be a course in aerodynamics. The majority of plans designers have taken all these factors into account when designing the model. We are just going to give you an idea of some of the things to look for, and an explanation of the terms involved.

If you are looking into building a high-wing cabin airplane you have little to concern yourself with. Most of these factors are incorporated in their design simply because of the dynamics of the layout. If you are thinking about building a low-wing, model then you will want to consider these items. The following is a general explanation of some terms you will encounter and how they apply to you at this point.

Datum: With regard to model plans and aircraft scale drawings, the datum, or datum line, is the line used to establish the level attitude of the airplane. Often it will be a line drawn from the center of the propeller to the tail of the airplane. We will assume the airplane is level with the datum line when discussing the following terms.

Wing Dihedral: Look at an airplane from the front view. If the

R/C Unlimited Raceway & Hobbies

Phone: 408.377.3771 Fax: 408.377.2211

14918 Camden Ave. San Jose, CA 95124

www.rc-unlimited.net

HobbyTown USA
Toys for All Ages!

39152 Fremont Hub
Fremont, CA 94538
510-796-2744

htufremontca@yahoo.com

5% Discount to Bayside Members



wings are level with the ground surface (most are not), then it has no dihedral. If the wing panels are angled up from the fuselage to each wing tip, then it has dihedral. If the wings are angled down from the fuselage to the wing tips, it has anhedral—stay away from those for the time being. Generally, the more wing dihedral, the more stable the model will be in flight.

Angle of Incidence: Look at the airplane in side view where the wing meets the fuselage (wing root). If the front of the wing is angled upward, it has positive wing incidence. If the front of the wing is angled downward, it has negative wing incidence. We want positive incidence in our model; between 1.5 to 2.5° is the norm.

Washout: This is the difference between the incidence of the wing root and the wing tip in a positive manner. If you have 2.5° of positive incidence at the wing root and 0° incidence at the wing tip, you have 2.5° of washout. Washout is incorporated into a wing to help prevent wing tip stall. Imagine your model during landing approach. You have lined it up with the runway and reduced the speed in anticipation of a smooth touch down. As you begin to flare out for touch down, the nose of the model comes up. The positive incidence of the wing increases to the point that the wing root area stalls, or no longer provides lift, and the model loses altitude. That is a good attribute during the landing mode. The wing washout will allow the wing tips, and much of the outer wing panels, to continue to provide lift thus allowing you to maintain control of the model until touch down. If you did not have wing washout, the entire wing would stall. What normally occurs without washout is one wing panel stalls before the other (tip stall) and the model falls off to that side and crashes, or spins into the ground.

Downthrust: Downthrust is the negative angle between the engine centerline and the datum line. Downthrust is often used to maintain level flight of a model with a high-lift wing across the range of engine power settings from low speed to high speed. Downthrust is normally incorporated into high wing cabin models that use “flat bottom” or high-lift airfoils. Without downthrust, the model would climb while trying to maintain level flight at a faster rate the faster it was going. Downthrust can also have a positive effect on models during landings. Using the landing scenario in the washout definition above, suppose you need to increase speed just before touch down. If you applied power without engine downthrust the model would jump skyward. That would further increase wing incidence during that low-speed condition making the entire wing stall out and causing loss of control of the model. Engine downthrust would allow the model to move forward and help you maintain control.

Airfoils: An airfoil is the shape of the wing in cross-section. Much like the wing rib. The shape of the airfoil and the wing attitude in relation to its forward movement (incidence) at speed is what generates the lift for the model. There are literally thousands of differently shaped airfoils. We will only be discussing four generic types as used for our models. Of course, there are hundreds of different shapes within these types but we are concerned just with the general flight characteristics of each. In discussing airfoils you will need to be made aware of another term in order to explain how they work. Mean aerodynamic chord, or MAD is simply a line drawn from the center of the leading edge of the airfoil to the center of the trailing edge of the airfoil. We

will just call it the “chord line”.

Under-Chambered Airfoils: This type of airfoil is considered a very high lift airfoil and used for slow flying aircraft. It is curved upward on the top surface and on the bottom surface. These types of airfoils were most generally used on early pioneering airplanes and WWI aircraft. Models using this type airfoil are usually a bit difficult to build and require a lot of attention to details and relationships between wing(s) incidence(s), datum lines, and thrust lines.

Flat-Bottomed Airfoils: This type of airfoil is curved upward on the top surface and is flat, or a straight line, on the bottom surface. Most are not actually flat along the entire length on the bottom surface. Generally the front portion of the lower leading edge curves upward to meet the curve of the top surface. These can be classified as high-lift airfoils and are used on aircraft of moderate speed capabilities.

The most notable of these is the Clark “Y” airfoil as used on the Piper Cub and many other general aviation airplanes. Usually the flat portion of the lower wing surface is in alignment with the datum line of the airplane where the wing meets the fuselage. That installation provides positive incidence because the leading edge of the chord line will be angled upward in relationship to the datum line. The wing should have washout at the tip to equal that angle in order to maintain good flight characteristics. Models built using this airfoil are most often the easiest to build and fly.

Semisymmetrical Airfoils: These airfoils are curved upward on the top surface and curved downward (to a lesser degree) on the bottom surface. We will call these general airfoils or high-speed airfoils. Most of the military and commercial aircraft used this type airfoil. They are normally installed with positive incidence at the root rib and have washout in the wings. Some civil aircraft from the Golden Age use these airfoils including the Taylorcraft, Aeronca, and Interstate Cadet. Most modern civil aircraft use it as well. With the exception of the Golden Age aircraft, most models built using this airfoil will require a higher degree of building and flying skill. Most will have retractable landing gear, flaps and other operating features not found on entry-level models.

Fully Symmetrical Airfoils: These airfoils are curved on the top surfaces and the bottom surfaces to the same degree. They provide no lift when the chord line is parallel to the datum line. These airfoils are generally used for stabilizer/elevators, and fin/rudders of scale models.

Now you may think we have limited your choices to trainers or Cub’s. Not so. If your liking is for civil-aviation aircraft your choices are many. There is even a couple of low-wing aircraft for you to consider. One is the Ercoupe. The Ercoupe makes a good flying model with good ground handling characteristics as well. High-wing cabin airplanes from the Golden Age to the present make very good choices. Don’t worry about whether the airplane has tricycle landing gear or is a tail-dragger. There really is little advantage or disadvantage of either type model at this point.

Your choices are a bit more limited on the Warbird scene. Don’t think that because the full-scale airplane was a trainer the model will be a good choice. Most of the single-engine primary and advanced trainers built during World War II for the American services were much more difficult to fly than the fighters the pilots

graduated to. That was done for a purpose—to wash out the pilots who didn't have the skills to perform the required additional workload when piloting frontline aircraft. Similarly, an AT-6 Texan, or at PT-19 Kadet does not make a good first-time model. I would suggest building a model of an aircraft used for Liaison duties like the Taylorcraft L-2, Aeronca L-3, Piper L-4, Stinson L-5, and the Interstate L-6 instead.

On the other hand, trainers built for service in the United Kingdom often make great first-time models. Their logic was that the pilot would advance from one airplane to the next as their skills were acquired. They also did not have the population to afford early washouts. Two of the best UK trainers are the deHavilland Tiger Moth and the deHavilland Moth Minor. The Moth Minor is a low-wing, open-cockpit, tail dragger. The Tiger Moth is an open cockpit, biplane, tail dragger. Both models fly and handle extremely well. I would suggest the Moth Minor over the Tiger Moth because it is much easier to build.

If you have some low-wing flying experience, there are several single-engined military aircraft I can recommend.

- Hawker Hurricane
- Early Supermarine Spitfire
- Curtiss P-40 Warhawk
- Vultee BT-13 Valiant
- Mitsubishi A6M5 Zero
- Grumman F6F Hellcat (don't bother with the wing fold or scale flaps at this stage)

Wood Kits and Accessories

Many plans designers offer "short kits" and "full wood kits" for their plans. These items may be available from the designer or from a designated kit cutter. Some designers and accessory manufacturers offer items such as fiberglass fuselages and foam wings for the plans. A short kit consists of all the parts that require cutting out such as the ribs and formers and other parts detailed on the plans. The builder furnishes the needed stick wood for stringers, spars, etc. and the sheet wood for covering the fuselage and wings. A full wood kit comes with all the wood materials required for construction. In either case, the builder normally buys the hardware needed for completion.

Other items of interest designed specifically for many plans are fiberglass, resin cast, and vacuum formed parts such as cowlings, canopies, exhaust stacks, cockpit interiors, and other small parts to help detail a model to your desired level of completion. These items will be available from the plans designer or an accessory manufacturer and may be noted on the plans or in a construction manual. Q



Interstate L-6

Free Swap Meet



Saturday
13 August 2011

FREE to sellers
FREE to buyers

Where? - Gold Country Flyers field, Lone, CA. On Michigan Bar Road between Hiway 16 and the City of Lone

When? - Starts at 7:00 AM until ?

Food? - Yes, there will be food at a nominal cost.

Map? - Yes, on the club web site:
GoldCountryFlyers.com

Questions? - call Tom @ 209-296-0622

We will allow flying as soon as it seems safe to fly. All swap meet attendees are welcome to fly at our field that day (**you MUST have an AMA card WITH YOU**).